



NT 27/1

The NT 27/1 is a powerful wet/dry vacuum cleaner for professional users. It is exceptionally compact and comes standard with a number of useful accessories.



1 Cartridge filter with float

Large cartridge filter ensures constant high suction power. The mechanical floating switch-off interrupts the air stream once the maximum filling level has been reached.

3 Robust bumper

All-round impact protection safeguards not only the machine itself but also walls, machines and items of furniture from damage.

2 Robust metal latches

These extremely robust latches lock more reliably.

TECHNICAL DATA AND EQUIPMENT

KARCHER



NT 27/1

- With cartridge and wet filter
- Plastic container
- Accessory storage and cable hook

Technical data		
Order no.		1.428-500.0
EAN code		4039784724198
Air flow rate	l/s	67
Vacuum	mbar / kPa	200 / 20
Container capacity	I	27
Max. rated input power	w	max. 1380
Standard nominal width		35
Cable length	m	7.5
Sound pressure level	dB(A)	72
Container material		plastic
Number of motors		1
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	7.5
Dimensions (L × W × H)	mm	420 × 420 × 525
Equipment		
Suction hose	m	2.5
Suction tube, metal 2 x 0.5 m		1
Filter bag		Paper
Wet and dry floor nozzle	mm	300
Crevice nozzle		1
Cartridge filter		1
Cartridge filter		Paper
Sturdy bumper		1
Protection class		II
Maintenance-free suction turbines	piece(s)	1
Included in the second of sumply		

Included in the scope of supply.

1 2 2 2 1 1-12 13			3-4, 6-7 5 5					9 10 10 10 10 10 10 10
		Order no.	Quantity	ID	Length	Width	Price	Description
Paper filter bags (two-ply) Paper filter bags	1	6.904-290.0	5 piece(s)					5 paper filter bags. BIA-(U, S, G, C) dust class M. Suitable for
	1	0.904-290.0	5 piece(s)					NT 27/1/Me Advanced.
Cartridge filter paper Cartridge filter, paper	2	6.414-789.0	1 piece(s)				1	Paper cartridge filter with larger filter surface, standard for
	2	0.414 705.0	I piece(s)					NT 48/1 and optional for NT 27/1/Me Advanced.
Bend, plastic Plastic bend	3	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).
Bend, plastic, electrically conduc- tive	4	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.
Bend, plastic	5	6.902-009.0	1 piece(s)	ID 35				Plastic, ID 35.
Bend, plastic, electrically conduc- tive	6	5.032-427.0	1 piece(s)	ID 40				Electrically conductive plastic bend (DN 40) with C-40 clip system, suitable for all NT vacuum cleaners.
Plastic bend	7	5.031-904.0	1 piece(s)	ID 40				Plastic bend (DN 40) with C-40 clip system, suitable for all NT models.
Crevice nozzles		1					1	N models.
Crevice nozzle	8	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.
	9	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.
	10	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and
Suction tubes, metal								corners. Length: 400 mm.
Suction tube	11	6.900-514.0	1 piece(s)	ID 35	0.5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.
	12	6.900-275.0	1 piece(s)	ID 40	0.55 m			The suction tube (NW 40, 1 x 0.55 m) made from chrome-plated metal is standard in almost all commercial vacuum cleaners with twin motor. Optional for commercial single motor NT vacuum cleaner with suction hose NW 40.
Complete suction hoses (clip system	n)							
Suction hose	13	4.440-626.0	1 piece(s)	ID 35	2.5 m			2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.

48/1 Nozzle kits Nozzle kit 14 2.860-116.0 1 piece(s) ID 35 Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3) Fabric filter Membrane filter 15 6.906-103.0 1 piece(s) Polyester needle fleece membrane/fabric filter, washable up to 40°C. For NT 27/1/Me Advance, NT 48/1, NT 351 Eco/ Professional. Wet filter bag 16 6.904-171.0 Wet filter bag 5 piece(s) Approved for dust class L, general cleaning, wet and dry, tear-resistant. Bends, stainless steel 17 6.903-141.0 ID 35 Bend, stainless steel, ID 35 1 piece(s) Stainless steel and crooked, ID 35 18 6.902-079.0 Bend, stainless steel, ID 40 1 piece(s) ID 40 Stainless steel and crooked, ID 40

KARCHER

19













29-30

21
32



		Order no.	Quantity	ID	Length	Width	Price	Description	
Bends, metal									
Bend, metal	19	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407- 112.0; C 35-DN 35, plastic, el.).	
	20	6.900-276.0	1 piece(s)	ID 40				Robust, chromium-plated metal bend (DN 40), can be used instead of a plastic bend (with clip system adapter 5.407- 111.0; C 40-DN 40, plastic, el.).	
All-purpose brushes									
All-purpose brush	21	6.903-863.0	1 piece(s)	ID 35	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	
	22	6.900-425.0	1 piece(s)	ID 35	120 mm			All-purpose brush PPN_Bristle	
Floor nozzles									
Wet and dry floor nozzle	23	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	
Multi-purpose nozzle, wet/dry	24	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903- 064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	
	25	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm work- ing width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	
	26	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm work- ing width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	
DN 40 wet/dry floor nozzle	27	6.907-408.0	1 piece(s)	ID 40		360 mm		Multi-purpose nozzle (ID 40), plastic, 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0).	
Car cleaning nozzles									
Car nozzle Rubber suction tools, nose 45°	28	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	
Rubber suction tool, nose 45°	29	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
	30	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
Radiator brushes		1			1				
Heater brush	31	6.903-034.0	1 piece(s)	ID 35				Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.	
Combi-nozzles, dry									
Combi-nozzle, dry	32	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	
Upholstery nozzles	22	6.900-929.0						plastic	
Pipe dusting nozzles	33	0.300-929.0	I			I		piastic	
	1		4	10.05	1	1	1		

 Pipe brush 35/200
 35
 6.903-036.0
 1 piece(s)

 Included in the scope of supply.

 Available accessories.

34 6.903-035.0

1 piece(s)

ID 35

ID 35

Pipe brush 35/100

Plastic, pipe diameter 100 mm

Plastic, pipe diameter 200 mm

				39-41 39-41		42	51	
		Order no.	Quantity	ID	Length	Width	Price	Description
Suction brushes Suction brush	36	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow
								hair). Bristle size 70x45 mm. Only CV and NT vacuum clean- ers.
Turbo nozzles Turbo upholstery nozzle	37	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with
Turbo floor nozzle	38	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduc-
Suction tubes, stainless steel								tion sleeve.
Suction tube	39	6.902-081.0	1 piece(s)	ID 40	0.5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.
	40	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.
	41	6.902-154.0	1 piece(s)	ID 35	0.5 m			0.5 m long stainless steel suction tube (ID 35) for wet and dry vacuum cleaners. Ideal for frequent wet vacuuming applications and for vacuuming corrosive components.
Suction tubes, plastic Suction tube	42	6.900-384.0	1 piece(s)	ID 35	0.5 m			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV
Repair kits								and T vacuum cleaners.
Repair kit, C 35	43	2.639-682.0	1 piece(s)	ID 35				Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.
Suction hoses (clip system)						1		
Suction hose	44	6.906-241.0 6.906-275.0	1 piece(s)	35	4 m 2.5 m			 4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end. 2.5 m electrically conductive suction hose without bend and
	45	6.906-500.0	1 piece(s)	35	4 m			adapter with bayonet at vacuum end and C 35 clip connec- tion at accessory end. 4 m electrically conductive suction hose without bend and
								adapter with bayonet at vacuum end and C 35 clip connec- tion at accessory end.
Suction hoses complete Suction hose, complete	47	4.440-287.0	1 piece(s)	ID 35	4 m			Standard, 4.0m, ID 35
Connecting sleeves Adapter, ID 32/35, with internal thread	48	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.
Connection adapter C ID (clip to con Connection adapter C DN 35	1	ctrically conduct 5.407-112.0	ive 1 piece(s)	ID 35				C 35 hose connector for DN 35 accessory, electrically con-
Connection adapter C DN 40	50	5.407-109.0	1 piece(s)	ID 40				ductive. Electrically conductive adapter (C 40) with DN 35 connec-
	51	5.407-111.0	1 piece(s)	ID 40				tion for connecting DN 35 accessories to an industrial C 40 or C-DN 40 suction hose. Suitable for NT vacuum cleaners. C 40 hose connector for DN 40 accessory, electrically con-
								ductive.
Connection adapter for power tools Connection adapter for power	1	on, electrically co 5.453-048.0	1 piece(s)	ID 35				Inside Ø 25.4 mm, outside Ø 34.6 mm/ 38 mm, electrically
tools, C 35, electrically conductive Connection Adaptor for power tools, C 35, electrically conductive	53	5.453-049.0	1 piece(s)	ID 35				conductive. Only NT vacuums. Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.
Included in the scope of supp		⊥ □ Available aco	occorioc					

■ Included in the scope of supply. □ Available accessories.

KARCHER

54-56 57 57 63		58		59		60			
		Order no.	Quantity	ID	Length	Width	Price	Description	
Connection adapter for power	54	5.453-050.0	1 piece(s)	ID 35				Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically	
tools, C 35, electrically conductive Connection Adaptor for power	55	5.453-051.0	1 piece(s)	ID 35				conductive. Unly NT vacuums.	
tools, C 35, electrically conductive	56		1 piece(s)	ID 35					
	50	5.455 052.0	I picce(5)	10 55				ums.	
Adapter for electric power tools, so	rewab	le							
Adapter for electric power tools, screwable, ID 35	57	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	
	58	5.453-026.0	1 piece(s)	ID 35				Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.	
	59	6.902-059.0	1 piece(s)	ID 35				Electrically conductive power tool adapter, threaded. Inter- nal diameter: 32 mm.External diameter: 39 mm.	
	60	6.902-095.0	1 piece(s)	ID 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	
Reducers (tube -> nozzle)								·	
Reducer	61	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	
Reducer from ID 35 to ID 32	62	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for	
Reduction/expansion adapter kit						1			
Set of reducers / adapter sleeves	63	2.860-117.0	1 piece(s)					DN 40/35, DN 35/32 (tube -> nozzle), plastic.	
Other								· · · · · · · · · · · · · · · · · · ·	
Drilling dust nozzle	64	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	
CS 40 Me	65	2.863-026.0	1 piece(s)					The highly efficient CS 40 Me cyclone preseparator for all	

 \blacksquare Included in the scope of supply. $\hfill\square$ Available accessories.



		Order no.	Length	Colour	Quanti- ty	Price	Description
Miscellaneous							
Extension cable	1	6.647-022.0	20 m		1 piece(s)		Extension cable, 20 m, 3x1.5 mm ² . With splash-proof earth- ing pin plug, strain relief and anti-kink sleeve.

 \blacksquare Included in the scope of supply. $\hfill\square$ Available accessories.



		Order no.	Quantity	ID	Length / width	Price	Description	
Other nozzles Rubber suction nozzle, 45°	1	6.902-106.0	1 piece(s)	ID 61	220 mm	1	Angled 45°, for suction of machines, oil-resistant	
Surface nozzle, aluminium	2	4.130-415.0	1 piece(s)	ID 61	200 mm		Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper	
Crevice tools								
Crevice nozzle, plastic	3	6.900-222.0	1 piece(s)	ID 61	370 × 64 mm		Grout nozzle, plastic, 370 mm	

■ Included in the scope of supply. □ Available accessories.