


makes a difference



THE RIGHT SOLUTION FOR EVERY CLEANING PROCESS!

PROFESSIONAL EQUIPMENT 2019


Easy handling, drip-free thanks to the suction and extremely time-saving – with Kärcher's original battery-powered Window Vac set, windows are left gleaming and streak-free in no time.





280+170

Working width of suction nozzle (mm): Dirty water tank capacity (ml): 100 Battery charging time (min): 120 Battery running time (min): 25 Cleaning performance per battery charge: Approx. 75 m^2 = 25 windows Current type (V/Hz): 100 - 240 / 50 - 60



Quick to empty

Exchangeable suction nozzle

easily when required.

GREEN LEAF, Nippon Complex, Nadi Back Rd. | greenleafpacific.com | 670 2222







LED display in field of view

The dirty water tank can al- Choose between a large or Energy management made ways be emptied quickly and small suction nozzle, based on easy: the LED display integratthe size of the cleaning surface. ed in the on/off switch indicates in good time when the battery needs to be recharged.



The compact SG 4/4 steam cleaner with powerful 4-bar steam pressure. With continuously variable steam volume control and VapoHydro function for perfect cleaning results without the use of chemicals.





Professional Steam Cleaner, SKU: KAR-1.092-282.0

Heating output (W): 2300 Tank capacity Ltr: 4 Cable length (m): 7,5 Steam pressure (bar): 4 Boiler temperature (°C): max. 145 Weight without accessories (kg): 8





2-tank system

With a total capacity of over 4 jet, even stubborn dirt can be litres, the SG 4/4 can be used effectively dissolved from the for long periods without refill- start. ing.

The fresh water tank can be Thanks to VapoHydro, the The integrated storage comcontinuously filled as the boiler steam level can be infinitely partment enables the storage of and tank are separate. Because adjusted to the cleaning task. In a variety of accessories. Special only part of the overall volume addition to the steam pressure, small parts are always safely is heated at any one time, it the saturation can be infinite- stored and do not get lost. Even takes very little time for a con- ly adjusted from full steam to the tubes can be stored on the sistent steam pattern to form. hot water. With the hot water rear of the unit.



VapoHydro

Accessory storage compartment

PROFESSIONAL EQUIPMENT 2019

The Puzzi 8/1 C is a powerful entry-level spray extraction machine. The spray extraction machine can be used for upholstery cleaning or for removing stains on carpets. Because an extremely small amount of residual moisture remains after cleaning, cleaned carpets and upholstery can be quickly used again. Equipped as standard with a spray vacuum hose and ergonomic hand nozzle.





Professional Spray Extractor Puzzi 8/1 C SKU: KAR-1.100-225.0





Max. area performance (m²/h): 12-18 Air flow rate (l/s): 61 Vacuum (mbar/kPa): 230/23 Spray rate (l/min): 1 Spray pressure (bar): 1 Fresh/dirty water tank Ltr: 8-7 Turbine power (W): 1200





Low weight

Compact design

At 9.8 kg, the Puzzi 8/1 C is The Puzzi 8/1 C also shows its Easily removable dirty water easy to carry and 35% lighter strengths when cleaning up- tank, easy disposal of dirty than the competition. Ideal for holstery and vehicle interiors. water and refilling of the fresh intermediate cleaning, thanks Compact, space-saving design. water tank. to rapid drying. Easily transported, even over obstacles and stairs. Integrated carrying handle for transport with one hand.







Convenient handling and good accessibility

For maximum mobility and best cleaning results even under tough conditions: the HD 7/15 G petrol-driven cold water high-pressure cleaner with 150 bar pressure from the Gasoline Advanced range.



Professional High Pressure Cleaner, Cold Water, HD 7/15 G SKU: KAR-1.187-903.0



Flow rate (I/h): 650 Working pressure (bar/MPa): 150/15 Motor type: GX 160/gasoline Engine manufacturer: Honda Weight (kg): 39,5 Dimensions (L×W×H) (mm): 790x608x1104



KX.



Maximum independence

cleaning.

Fitted with reliable Honda or The ergonomic frame concept Optional cage frame with eye-Yanmar engines for use with- makes transport on uneven lets for crane loading reliably out an external power supply, ground easier. Storage possi- protects the machine. Hose Can suck up water - e.g. from bilities for all accessory parts reel attachment kit for shortlakes or ponds – and use it for directly on the machine. Punc- er set-up & finishing-off times ture-proof wheels guarantee available as an optional extra. permanently high mobility. Portable version with robust tubular frame specially designed for painters and plasterers (HD 728 B).





Optimum ease of use

Highly versatile

Specifically developed for the commercial food industry: the unheated HD 7/18 - 4 M high-pressure cleaner. With high-quality equipment, the top model in the Compact class has an upright and exceptionally robust construction style and impresses with a high level of mobility, easy operation and the long service life of its individual components.







Professional High Pressure Washer, HD 6/15-C Easy! SKU: KAR-1.150-911.0



Current type Ph/V/Hz: 1/240/50 Flow rate I/h: 230-560 Working pressure bar / MPa: 30-150/3-15 Max. pressure bar / MPa: 190/19 Connection load kW: 3.1

000



Save time and effort: EASY!Force high-pressure gun and EASY!Lock quick-release couplings.

the EASY!Force high-pressure for stubborn dirt. The "Inno motor. Robust brass cylinder gun. EASY!Lock quick-release Foam Set" high-pressure foam head and ceramic piston. Recouplings: durable and robust. system can be used if required inforced, unbreakable plastic And five times faster than screws.







Practical detergent system

Proven Kärcher quality

TEffortless operation at last: Cleaning agent suction system 4-pole water-cooled electric chassis.

The HD 5/11 P is compact, light and mobile. Equipment details: carrying handle, brass cylinder head and automatic pressure relief. For vertical and horizontal operation.

> **Professional High Pressure** Washer, HD 5/11 P SKU: KAR-1.520-962.0



Current type (Ph/V/Hz): 1/230/50 Flow rate (I/h): 490 Working pressure (bar/MPa): 110/11 Max. pressure (bar/MPa): 160/16 Connection load (kW): 2,2 Power cable (m): 5



EASY!Force high-pres-

sure gun and EASY!Lock

quick-release couplings.

EASY!Force high-pressure gun.

EASY!Lock quick-release cou-

plings: durable and robust. And

five times faster than screws.

The integrated carrying handle Vertical and horizontal operon the front of the machine en- ation possible. Separate park ables easy loading and conve- and transport position for the nient transport. Compact con- spray unit. The machine offers Effortless operation at last: the struction style and low weight. maximum stability in horizontal operation.







Excellent mobility

Flexibility

PROFESSIONAL EQUIPMENT 2019

K 5 Premium Full Control Plus Home pressure washer with +/buttons for pressure regulation and LCD display on the trigger gun. Includes Home Kit, 3-in-1 Multi Jet spray lance and hose reel.





Pressure (bar/MPa): 20-max. 145/ 2-max. 14,5 Flow rate (l/h): max. 500 Max. inlet temperature (°C): max. 40 Connection load (kW): 2,1 Area performance (m²/h): 40 Weight without accessories (kg): 13,1





Full Control Plus Power Plug 'n' Clean Gun

setting they have applied.

With buttons for pressure reg- For quick, convenient and com- With a practical reel, the ulation and detergent dosing. fortable application of deter- high-pressure hose can always The LCD display on the Full gents with the pressure wash- be stored neatly. Control Plus Power Gun en- er. Kärcher detergents increase ables users to easily check the efficiency and help protect and care for the surface being cleaned.





Hose reel



Professional Vacuum Cleaner, Two Motors, Wet and Dry, NT 70/2 SKU: KAR-1.667-269.0




Air flow rate (l/s): 2x74 Vacuum (mbar/kPa): 254/25,4 Container capacity Ltr: 70 Max. rated input power (W): 2400 Standard nominal width: 40 Cable length (m): 10

NEW

NEW

The NT 27/1 is a powerful wet/dry vacuum cleaner for professional users. It is exceptionally compact and comes standard with a number of useful accessories.






Air flow rate (l/s): 67 Vacuum (mbar/kPa): 200/20 Container capacity Ltr: 27 Max. rated input power (W): max. 1380 Cable length (m): 7,5 Sound pressure level (dB(A)): 72

IEN

With the new T 10/1 Professional we enlarge our dry vacuum program with a machine made especially for the target group building service contractors. It includes a pluggable power cord (12 m), an antistatic bend, a power cord integration, an extra strong main filter for vacuuming without filter bag and a coloured plug.







Air flow rate (Ltr/sec): 53 Vacuum (mbar/kPa): 240/24 Container capacity Ltr: 10 Sound pressure level (dB(A)): 59 Turbine power (W): 800 Energy efficiency class: B



Large, round permanent main filter of washable fleece

Maintenance-friendly

bag.

Extremely strong and dense enough to allow vacuuming for longer times without a filter bag





Cable hook



Professional Vacuum Cleaner, Dry, T 7/1 Classic SKU: KAR-1.527-181.0



Air flow rate (l/s): 40 Vacuum (mbar/kPa): 235 / 23,5 Container capacity Ltr: 7,5 Max. rated input power (W): max. 850 Standard nominal width: 35 Cable length (m): 7,5 Sound pressure level (dB(A)): 62



Low weight

volume.

Compared to competitor mod- The permanent main filter en- Optimised airflow ensures exels up to 50 percent lower sures optimum dust separation, filter bag.



Main filter basket for optimal dust separation



Maximum suction power with simultaneously minimal energy use


cellent suction power, thus weight with identical container allowing operation without a making oversized turbines superfluous. Compared to competitor models almost 25 percent lower power consumption. Higher suction power at the floor nozzle compared to competitor models with 25 percent lower power consumption.





Visit our showroom at Nippon Complex, Nadi Back Rd.

greenleafpacific.com



*Green Leaf Ltd. reserves the right to change prices without prior notice