



## NT 48/1

This machine is a very robust, functional and powerful wet/dry vacuum cleaner with optimal ergonomic properties, by compact construction, which is developed for the specific needs of contract cleaners, automotive-area and trade.

### 1 Container emptying

- Easily accessible drain hose for convenient liquid disposal.

### 2 Accessory storage

- Accessories can be attached to the container at the rear of the machine.



## NT 48/1

- All-purpose brush
- Cartridge filter with enlarged filter area
- Drain hose

### Technical data

Order No.	1.428-620.0	
EAN code	4039784724921	
Air flow rate	l/s	67
Vacuum	mbar / kPa	200 / 20
Container capacity	l	48
Max. rated input power	W	1380
Standard nominal width		35
Cable length	m	7.5
Sound pressure level	dB(A)	72
Container material	Plastic	
Number of motors	1	
Frequency	Hz	50-60
Voltage	V	220-240
Weight	kg	10.5
Dimensions (L × W × H)	mm	490 × 390 × 780


### Equipment

Suction hose	m	2.5
Suction tube, metal 2 x 0.5 m		■
Filter bag		Paper
Wet and dry floor nozzle	mm	400
Crevice nozzle		■
Cartridge filter		■
Drain hose		■
Bend		■
Cartridge filter		Paper
Protection class		II
Steering roller stop		■

■ Included in delivery.

# ACCESSORIES FOR NT 48/1

## 1.428-620.0



		Order No.	Anzahl	Dummy	Dummy	Dummy	Price	Description	
<b>Paper filter bags (two-ply)</b>									
Paper filter bags	1	6.904-285.0	5 piece(s)					Dust class M, triple-ply, reinforced outer layer, tear-resistant.	■
<b>Cartridge filter paper</b>									
Cartridge filter, paper	2	6.414-789.0	1 piece(s)					Paper, larger filter area.	■
<b>Fabric filter</b>									
Membrane filter	3	6.906-103.0	1 piece(s)					Polyester needle fleece, washable (40 °C).	□
<b>Wet filter bag</b>									
Wet filter bag	4	6.904-211.0	5 piece(s)					Dust class L, general cleaning, dry and wet, tear-resistant.	□

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR NT 48/1

## 1.428-620.0

**KÄRCHER**


		Order No.	Quantity	ID	Length	Width	Price	Description	
<b>Bend, plastic</b>									
Plastic bend	1	5.031-718.0	1 piece(s)	ID 35				Plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models (except NT Eco M and NT Eco H).	■
Bend, plastic, electrically conductive	2	5.031-939.0	1 piece(s)	ID 35				Electrically conductive plastic bend (DN 35) with C-35 clip system. For all industrial single-motor NT 361 to NT 611 Eco models.	□
Bend, plastic	3	6.902-009.0	1 piece(s)	ID 35				Plastic, ID 35.	□
<b>All-purpose brushes</b>									
All-purpose brush	4	6.900-425.0	1 piece(s)	ID 35	120 mm			All-purpose brush PPN_Bristle	■
	5	6.903-863.0	1 piece(s)	ID 35	120 mm			Natural bristles (ox hair), bristle element 120 x 45 mm.	□
<b>Floor nozzles</b>									
Wet and dry floor nozzle	6	2.889-118.0	1 piece(s)	ID 35		400 mm		Multi-purpose nozzle (DN 35) for wet vacuum cleaning of large areas. Squeegee and brush are quick and easy to change.	■
	7	6.907-512.0	1 piece(s)	ID 35		400 mm			■
	8	6.906-512.0	1 piece(s)	ID 35		300 mm		All-purpose plastic nozzle (DN 35) with 300 mm working width. With side rollers, brush strips (6.903-278.0) and squeegees (6.903-277.0). Only for NT vacuum cleaners.	□
Multi-purpose nozzle, wet/dry	9	6.903-018.0	1 piece(s)	ID 40		370 mm		All-purpose aluminium nozzle with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
	10	6.906-383.0	1 piece(s)	ID 40		450 mm		All-purpose aluminium nozzle (DN 40) with 450 mm working width. With height-adjustable side rollers, brush strips (6.903-065.0) and oil-resistant squeegees (6.906-146.0). Only for NT vacuum cleaners.	□
	11	6.906-384.0	1 piece(s)	ID 35		370 mm		All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	□
	12	6.906-513.0	1 piece(s)	ID 35		360 mm		All-purpose plastic nozzle (DN 35) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	□
	13	6.906-554.0	1 piece(s)	ID 40		360 mm		All-purpose plastic nozzle (DN 40) with 360 mm working width. With side rollers, brush strips (6.905-878.0) and squeegees (6.905-877.0). Only for NT vacuum cleaners.	□
<b>Crevice nozzles</b>									
Crevice nozzle	14	6.900-385.0	1 piece(s)	ID 35	210 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 210 mm.	■
	15	6.900-922.0	1 piece(s)	ID 35	500 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 370 mm.	□
	16	6.903-033.0	1 piece(s)	ID 40	290 mm			Plastic crevice tool (DN 40) for vacuuming in crevices and corners. Length: 290 mm.	□
	17	6.905-817.0	1 piece(s)	ID 40	400 mm			Metal crevice tool (DN 40) for vacuuming in crevices and corners. Length: 400 mm.	□
	18	6.906-240.0	1 piece(s)	ID 35	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	□

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR NT 48/1

## 1.428-620.0

**KÄRCHER**


		Order No.	Quantity	ID	Length	Width	Price	Description	
<b>Suction tubes, metal</b>									
Suction tube	19	6.900-514.0	1 piece(s)	ID 35	0.5 m			Chromium-plated metal suction tube (DN 35, 1x0.5 m), standard for virtually all single-motor industrial NT vacuum cleaners.	■
	20	6.900-275.0	1 piece(s)	ID 40	0.5 m			Chromium-plated metal suction tube (DN 40, 1x0.5 m), standard for virtually all two-motor industrial vacuum cleaners. Optional for industrial single-motor NT vacuum cleaners with DN 40 suction hose.	□
<b>Complete suction hoses (clip system)</b>									
Suction hose	21	4.440-626.0	1 piece(s)	ID 35	2.5 m			2.5 m standard suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without PDFC module. Standard for NT 27/1/Me Advance und NT 48/1.	■
Suction hose, electrically conductive	22	4.440-653.0	1 piece(s)	ID 35	2.5 m			2.5 m electrically conductive suction hose with bend, bayonet at vacuum end and C 35 clip connection at accessory end. Without module.	□
<b>Micro sprayer sets</b>									
Nozzle kit	23	2.860-116.0	1 piece(s)	ID 35				Nozzle kit for all NT vacuum cleaners with DN 35 accessories includes crevice tool, upholstery tool, round brush (x3)	□
<b>Bends, stainless steel</b>									
Bend, stainless steel, ID 35	24	6.903-141.0	1 piece(s)	ID 35				Stainless steel and crooked, ID 35	□
<b>Bends, metal</b>									
Bend, metal	25	6.900-519.0	1 piece(s)	ID 35				Robust, chromium-plated metal bend (DN 35), can be used instead of a plastic bend (with clip system adapter 5.407-112.0; C 35-DN 35, plastic, el).	□
<b>Car cleaning nozzles</b>									
Car nozzle	26	6.906-108.0	1 piece(s)	ID 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	□
<b>Rubber tool</b>									
Rubber nozzle, ID 40	27	4.763-057.0	1 piece(s)	40				Rubber.	□
<b>Rubber suction tools, nose 45°</b>									
Rubber suction tool, nose 45°	28	6.902-104.0	1 piece(s)	ID 35	220 mm			45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
	29	6.902-105.0	1 piece(s)	ID 40	220 mm			45° rubber suction nozzle (DN 40), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	□
<b>Radiator brushes</b>									
Heater brush	30	6.903-034.0	1 piece(s)	ID 35				Radiator brush is suitable for crevice tool 6.900-385.0 or 6.905-240.0.	□
<b>Combi-nozzles, dry</b>									
Combi-nozzle dry	31	6.906-511.0	1 piece(s)	ID 35		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	□
	32	6.906-639.0	1 piece(s)	ID 35		262 mm		Plastic with stainless steel soleplate, switchable. Only CV and NT vacuum cleaners.	□
<b>Pipe dusting nozzles</b>									
Pipe brush 35/100	33	6.903-035.0	1 piece(s)	ID 35				Plastic, pipe diameter 100 mm	□
Pipe brush 35/200	34	6.903-036.0	1 piece(s)	ID 35				Plastic, pipe diameter 200 mm	□
<b>Suction brushes</b>									
Suction brush	35	6.903-862.0	1 piece(s)	ID 35		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	□

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR NT 48/1 1.428-620.0

**KÄRCHER**



		Order No.	Quantity	ID	Length	Width	Price	Description	
<b>Turbo nozzles</b>									
Turbo upholstery nozzle	36	2.860-113.0	1 piece(s)	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	<input type="checkbox"/>
Turbo floor nozzle	37	2.860-114.0	1 piece(s)	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	<input type="checkbox"/>
<b>Suction tubes, stainless steel</b>									
Suction tube	38	6.902-081.0	1 piece(s)	ID 40	0.5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
	39	6.906-531.0	1 piece(s)	ID 40	1 m			Stainless steel suction tube (DN 40, 1.0 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
	40	6.902-154.0	1 piece(s)	ID 35	0.5 m				<input type="checkbox"/>
<b>Suction tubes, plastic</b>									
Suction tube	41	6.900-384.0	1 piece(s)	ID 35	0.5 m			Plastic suction tube (DN 35, 1x0.5 m) only suitable for BV and T vacuum cleaners.	<input type="checkbox"/>
<b>Extension tube, metal</b>									
Extension tube, metal, ID 35	42	6.904-276.0	1 piece(s)	35	250 mm			Extension tube, ID 35, chrome-plated metal. For extending a suction tube from 0.5 m to 0.75 m length.	<input type="checkbox"/>
<b>Repair kits</b>									
Repair kit, C 35	43	2.639-682.0	1 piece(s)	ID 35				Repair set (C35) includes threaded hose adapters (without bayonet adapter) for industrial NT vacuum cleaners with clip system.	<input type="checkbox"/>
<b>Suction hoses (clip system)</b>									
Suction hose	44	6.906-241.0	1 piece(s)	35	4 m			4 m suction hose without bend and adapter. With bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
	45	6.906-275.0	1 piece(s)	35	2.5 m			2.5 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
	46	6.906-500.0	1 piece(s)	35	4 m			4 m electrically conductive suction hose without bend and adapter with bayonet at vacuum end and C 35 clip connection at accessory end.	<input type="checkbox"/>
	47	6.906-714.0	1 piece(s)	40	4 m			With bayonet and clip connection.	<input type="checkbox"/>
<b>Suction hoses complete</b>									
Suction hose, complete	48	4.440-287.0	1 piece(s)	ID 35	4 m			Standard, 4.0m, ID 35	<input type="checkbox"/>
Suction hose, complete, 120°C	49	4.440-339.0	1 piece(s)	ID 35	2.5 m			Temperature-resistant to 120 °C.	<input type="checkbox"/>
<b>Connecting sleeves</b>									
Connecting adaptor, ID 27, electrically conductive.	50	4.453-006.0	1 piece(s)	ID 27				For connecting 2 suction hoses, thread on both sides, electrically conductive.	<input type="checkbox"/>
Adaptor, ID 32/35, with internal thread	51	6.902-077.0	1 piece(s)	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	<input type="checkbox"/>
<b>Extension hoses (clip system)</b>									
Extension hose	52	6.906-237.0	1 piece(s)	ID 32	2.5 m			Electrically non-conductive standard extension hose for all C-32 and C-35 hoses with clip system.	<input type="checkbox"/>
	53	6.906-344.0	1 piece(s)	ID 40	2.5 m			2.5 m electrically non-conductive standard extension hose for all C-40 hoses with clip system.	<input type="checkbox"/>
<b>Connection adaptor C ID (clip to cone), electrically conductive</b>									
Connection adaptor C DN 35	54	5.407-112.0	1 piece(s)	ID 35				C 35 hose connector for DN 35 accessory, electrically conductive.	<input type="checkbox"/>
<b>Connection adaptor for power tools, clip-on, electrically conductive</b>									
Connection adaptor for power tools, C 35, electrically conductive	55	5.453-042.0	1 piece(s)	ID 35				3-way plastic adapter. For DN 26 to DN 36. For connecting power tools to an industrial C or C-DN 35 suction hose. Suitable for NT vacuum cleaners.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories.



# ACCESSORIES FOR NT 48/1

## 1.428-620.0

**KÄRCHER**



		Order No.	Quantity	ID	Length	Width	Price	Description	
Connection Adaptor for power tools, C 35, electrically conductive	56	5.453-048.0	1 piece(s)	ID 35				Inside Ø 25.4 mm, outside Ø 34.6 mm/ 38 mm, electrically conductive. Only NT vacuums.	<input type="checkbox"/>
	57	5.453-049.0	1 piece(s)	ID 35				Inner Ø 28.6 mm, outer Ø 37.3 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>
	58	5.453-050.0	1 piece(s)	ID 35				Inside Ø 27 mm, outside Ø 36.5 mm/38.8 mm, electrically conductive. Only NT vacuums.	<input type="checkbox"/>
	59	5.453-051.0	1 piece(s)	ID 35				Inner Ø 32 mm, outer Ø 39 mm, el. Only NT-vacuums.	<input type="checkbox"/>
	60	5.453-052.0	1 piece(s)	ID 35				Inner Ø 28 mm, outer Ø 34 mm/ 38.8 mm, el. Only NT-vacuums.	<input type="checkbox"/>
<b>Adaptor for electric power tools, screwable</b>									
Adaptor for electric power tools, screwable, ID 35	61	2.639-129.0	1 piece(s)	ID 35				Adaptable three-step plastic sleeve for power tools. Designed to thread onto a DN 35 industrial suction hose. With fitting instructions.	<input type="checkbox"/>
	62	5.453-016.0	1 piece(s)	ID 35				3-way plastic adapter with fitting instructions. For DN 26 to DN 36. For connecting to an industrial DN 35 suction hose.	<input type="checkbox"/>
	63	5.453-026.0	1 piece(s)	ID 35				Inside Ø 28.6 mm, outside Ø 37.3/38.8 mm.	<input type="checkbox"/>
	64	6.902-059.0	1 piece(s)	ID 35				Electrically conductive power tool adapter, threaded. Internal diameter: 32 mm.External diameter: 39 mm.	<input type="checkbox"/>
	65	6.902-095.0	1 piece(s)	ID 35				2-way power tool adapter, threaded. For connecting to an industrial DN 35 suction hose. Internal diameter: 28 mm. External diameter: 34 mm and 38.8 mmSuitable for NT vacuum cleaners.	<input type="checkbox"/>
<b>Reducers (tube -&gt; nozzle)</b>									
Reducer	66	6.902-017.0	1 piece(s)	ID 40				Reducer for accessory extension. Ideal for accessories with DN 35 connecting cone in combination with accessories with DN 40 connecting cone.	<input type="checkbox"/>
Reducer from ID 35 to ID 32	67	6.902-072.0	1 piece(s)	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
<b>Reduction/expansion adapter kit</b>									
Set of reducers / adapter sleeves	68	2.860-117.0	1 piece(s)					DN 40/35, DN 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>
<b>Other</b>									
Drilling dust nozzle	69	2.679-000.0	1 piece(s)						<input type="checkbox"/>
CS 40 Me	70	2.863-026.0	1 piece(s)						<input type="checkbox"/>

■ Included in delivery. □ Available accessories.

# ACCESSORIES FOR NT 48/1

## 1.428-620.0

**KÄRCHER**



		Order No.	Quantity	ID	Length / width	Price	Description	
<b>Other nozzles</b>								
Rubber suction nozzle, 45°	1	6.902-106.0	1 piece(s)	ID 61	220 mm		Angled 45°, for suction of machines, oil-resistant	<input type="checkbox"/>
Surface nozzle, aluminium	2	4.130-415.0	1 piece(s)	ID 61	200 mm		Flat surface nozzle cpl. DN 51, 200 mm, aluminium with brush and stainless steel bumper	<input type="checkbox"/>
<b>Crevice tools</b>								
Crevice nozzle, plastic	3	6.900-222.0	1 piece(s)	ID 61	370 × 64 mm		Grout nozzle, plastic, 370 mm	<input type="checkbox"/>
Crevice nozzle, stainless steel	4	6.900-926.0	1 piece(s)	ID 61	370 × 90 mm		Grout nozzle, stainless steel, 400 mm	<input type="checkbox"/>

■ Included in delivery.    ☐ Available accessories.



ACCESSORIES FOR NT 48/1  
1.428-620.0



		Order No.					Price	Description	
Suction tools									
	1	6.900-929.0						plastic	<input type="checkbox"/>

■ Included in delivery.    ☐ Available accessories.